



B

LIGHTBOX


About Company

B
LIGHTBOX

Lightbox is a leading manufacturer of electrical products. We have multiple products in our range including Trac Light, Spot Light, Down Light, Led Strips, Profile Lights and more. We are passionate about providing quality products that are designed to withstand the rigors of everyday use. Our products are used in home and businesses all over the world, and we are proud to have built a reputation for Quality and Reliability. We have been in business for over 25 years and our products are used in a variety of industries. We are constantly innovating and expanding our product line to meet the changing needs of our customer. We pride ourselves on manufacturing High-Quality products that meet or exceed international standards. Our products are designed to be simple to use, reliable, and cost-effective. We have a team of highly skilled engineers and technicians who design and manufacture our products to the highest quality standards. We have a wide network of distributors and dealers who sell our products across the country. Our products are backed by a team of customer service representatives who are available to answer any questions you may have. If you're looking for an electrical product that will stand the test of time, then Lightbox is the right choice.



ETA B LIGHTBOX



B LB - SP 101

IP 20

Power Watt	: 1W
Lamp	: CREE & BRIDGELUX
Size	: 15 MM
Cut Out	: 12 MM
Height	: 25 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 10° / 15°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 102

IP 20

Power Watt	: 1W
Lamp	: CREE & BRIDGELUX
Size	: 15 MM
Cut Out	: 12 MM
Height	: 25 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 10° / 15°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 103

IP 20

Power Watt	: 1W
Lamp	: CREE & BRIDGELUX
Size	: 23 MM
Cut Out	: 18 MM
Height	: 35 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 10° / 15°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 104

IP 20

Power Watt	: 3W
Lamp	: CREE & BRIDGELUX
Size	: 35 MM
Cut Out	: 28 MM
Height	: 30 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 10° / 15° / 24°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 301

IP 20

Power Watt	: 5W
Lamp	: CREE & BRIDGELUX
Size	: 51 MM
Cut Out	: 41 MM
Height	: 45 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 15° / 24° / 38°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 302

IP 20

Power Watt	: 6W
Lamp	: CREE & BRIDGELUX
Size	: 51 MM
Cut Out	: 41 MM
Height	: 45 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 15° / 24° / 38°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

ETA

B

LIGHTBOX



B

B LB - SP 203

IP 20

Power Watt : 5W
Lamp : CREE & BRIDGELUX
Size : 28 MM
Cut Out : 25 MM
Height : 71 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 10° / 15° / 24°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B

B LB - SP 204

IP 20

Power Watt : 5W
Lamp : CREE & BRIDGELUX
Size : 37 MM
Cut Out : 32 MM
Height : 56 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 15° / 24° / 38°
Material : ALUMINIUM
Body Color : WHITE & BLACK

B

LIGHTBOX

MAQUINA

B

LIGHTBOX



B LB - SP 205

IP 20

Power Watt : 8W
 Lamp : CREE & BRIDGELUX
 Size : 40 MM
 Cut Out : 33 MM
 Height : 86 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SP 206

IP 20

Power Watt : 12W
 Lamp : CREE & BRIDGELUX
 Size : 50 MM
 Cut Out : 47 MM
 Height : 98 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SP 207

IP 20

Power Watt : 8W
 Lamp : CREE & BRIDGELUX
 Size : 50 MM
 Cut Out : 42 MM
 Height : 87 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SP 208

IP 20

Power Watt : 12W
 Lamp : CREE & BRIDGELUX
 Size : 65 MM
 Cut Out : 58 MM
 Height : 99 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SP 209

IP 20

Power Watt : 8W
 Lamp : CREE & BRIDGELUX
 Size : 44 MM
 Cut Out : 38 MM
 Height : 75 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SP 210

IP 20

Power Watt : 12W
 Lamp : CREE & BRIDGELUX
 Size : 58 MM
 Cut Out : 50 MM
 Height : 80 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK

NIL

B

LIGHTBOX



B LB - SP 211

IP 20

Power Watt	: 8W
Lamp	: CREE & BRIDGELUX
Size	: 48 MM
Cut Out	: 36 MM
Height	: 75 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 212

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 50 MM
Cut Out	: 40 MM
Height	: 75 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 213

IP 20

Power Watt	: 8W
Lamp	: CREE & BRIDGELUX
Size	: 45 MM
Cut Out	: 39 MM
Height	: 80 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 214

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 55 MM
Cut Out	: 49 MM
Height	: 80 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 215

IP 20

Power Watt	: 8W
Lamp	: CREE & BRIDGELUX
Size	: 83 MM
Cut Out	: 80 MM
Height	: 75 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 216

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 83 MM
Cut Out	: 80 MM
Height	: 80 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

NIL

B

LIGHTBOX



B LB - SP 217

IP 20

Power Watt	: 25W
Lamp	: CREE & BRIDGELUX
Size	: 103 MM
Cut Out	: 98 MM
Height	: 125 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

B

LIGHTBOX

CONIQUE

B

LIGHTBOX



B LB - SP 316

IP 20

Power Watt	: 8W
Lamp	: CREE & BRIDGELUX
Size	: 55MM
Cut Out	: 48 MM
Height	: 58 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 317

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 70 MM
Cut Out	: 61 MM
Height	: 88 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 319

IP 20

Power Watt	: 8W
Lamp	: CREE & BRIDGELUX
Size	: 62 MM
Cut Out	: 53 MM
Height	: 60 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 320

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 88 MM
Cut Out	: 74 MM
Height	: 88 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 321

IP 20

Power Watt	: 18W
Lamp	: CREE & BRIDGELUX
Size	: 108 MM
Cut Out	: 96 MM
Height	: 100 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

KATROR

B

LIGHTBOX



B LB - SP 343

IP 20

Power Watt : 12W
 Lamp : CREE & BRIDGELUX
 Size : 90 MM
 Cut Out : 76 MM
 Height : 85 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SP 343

IP 20


Power Watt : 18W
 Lamp : CREE & BRIDGELUX
 Size : 90 MM
 Cut Out : 76 MM
 Height : 100 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SP 344

IP 20

Power Watt : 2/12W
 Lamp : CREE & BRIDGELUX
 Size : 90*180 MM
 Cut Out : 76*165 MM
 Height : 85 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SP 344

IP 20

Power Watt : 2/18W
 Lamp : CREE & BRIDGELUX
 Size : 90*180 MM
 Cut Out : 70*165 MM
 Height : 100 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK

REGMAAK



LIGHTBOX



B LB - SP 360

IP 20

Power Watt	: 8W
Lamp	: CREE & BRIDGELUX
Size	: 55 MM
Cut Out	: 48 MM
Height	: 43 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 361

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 72 MM
Cut Out	: 60 MM
Height	: 58 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 362

IP 20

Power Watt	: 18W
Lamp	: CREE & BRIDGELUX
Size	: 94 MM
Cut Out	: 82 MM
Height	: 72 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 363

IP 20

Power Watt	: 24W
Lamp	: CREE & BRIDGELUX
Size	: 116 MM
Cut Out	: 106 MM
Height	: 80 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 364

IP 20

Power Watt	: 33W
Lamp	: CREE & BRIDGELUX
Size	: 127 MM
Cut Out	: 117 MM
Height	: 90 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SP 365

IP 20

Power Watt	: 40W
Lamp	: CREE & BRIDGELUX
Size	: 145 MM
Cut Out	: 135 MM
Height	: 100 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

SAKONA

B

LIGHTBOX



B

B LB - SP 371

IP 20

Power Watt : 12W
 Lamp : CREE & BRIDGELUX
 Size : 100 MM
 Cut Out : 90 MM
 Height : 78 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B

B LB - SP 372

IP 20

Power Watt : 18W
 Lamp : CREE & BRIDGELUX
 Size : 107 MM
 Cut Out : 98 MM
 Height : 86 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B

B LB - SP 373

IP 20

Power Watt : 24W
 Lamp : CREE & BRIDGELUX
 Size : 122 MM
 Cut Out : 112 MM
 Height : 95 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B

B LB - SP 374

IP 20

Power Watt : 33W
 Lamp : CREE & BRIDGELUX
 Size : 150 MM
 Cut Out : 140 MM
 Height : 97 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK

DERIN B LIGHTBOX



B

B LB - SP 381

IP 20

Power Watt : 12W
Lamp : CREE & BRIDGELUX
Size : 88 MM
Cut Out : 77 MM
Height : 60 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B

B LB - SP 382

IP 20

Power Watt : 18W
Lamp : CREE & BRIDGELUX
Size : 108 MM
Cut Out : 98 MM
Height : 65 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B

B LB - SP 383

IP 20

Power Watt : 24W
Lamp : CREE & BRIDGELUX
Size : 123 MM
Cut Out : 113 MM
Height : 78 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B

B LB - SP 384

IP 20

Power Watt : 33W
Lamp : CREE & BRIDGELUX
Size : 131 MM
Cut Out : 120 MM
Height : 78 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B

B LB - SP 385

IP 20

Power Watt : 40W
Lamp : CREE & BRIDGELUX
Size : 150 MM
Cut Out : 140 MM
Height : 90 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK

LAUA

B

LIGHTBOX



B LB - SP 401

IP 20

Power Watt : 12W
Lamp : CREE & BRIDGELUX
Size : 90 MM
Cut Out : 75 MM
Height : 65 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - SP 401

IP 20

Power Watt : 18W
Lamp : CREE & BRIDGELUX
Size : 90 MM
Cut Out : 72 MM
Height : 85 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - SP 402

IP 20

Power Watt : 12W
Lamp : CREE & BRIDGELUX
Size : 90 MM
Cut Out : 85 MM
Height : 75 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - SP 402

IP 20

Power Watt : 18W
Lamp : CREE & BRIDGELUX
Size : 95 MM
Cutout : 75 MM
Height : 95 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - SP 402A

IP 20

Power Watt : 12W
Lamp : CREE & BRIDGELUX
Size : 92 MM
Cut Out : 80 MM
Height : 75 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - SP 403

IP 20

Power Watt : 12W
Lamp : CREE & BRIDGELUX
Size : 85 MM
Cut Out : 75 MM
Height : 77 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK

LAUA B LIGHTBOX



B LB - SP 403

IP 20

Power Watt : 18W
Lamp : CREE & BRIDGELUX
Size : 85 MM
Cut Out : 75 MM
Height : 97 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - SP 404

IP 20

Power Watt : 2/12W
Lamp : CREE & BRIDGELUX
Size : 105*205 MM
Cut Out : 85*179 MM
Height : 77 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - SP 404

IP 20

Power Watt : 2/18W
Lamp : CREE & BRIDGELUX
Size : 105*205 MM
Cut Out : 85*179 MM
Height : 97 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - SP 405

IP 20

Power Watt : 2/12W
Lamp : CREE & BRIDGELUX
Size : 95*192 MM
Cut Out : 85*182 MM
Height : 73 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - SP 405

IP 20

Power Watt : 2/18W
Lamp : CREE & BRIDGELUX
Size : 95*192 MM
Cut Out : 85*182 MM
Height : 93 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - SP 405A

IP 20

Power Watt : 2/12W
Lamp : CREE & BRIDGELUX
Size : 95*192 MM
Cut Out : 85*182 MM
Height : 75 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK

PROFOND

B

LIGHTBOX



B

B LB - SP 501

IP 20

Power Watt : 9W
Lamp : CREE & BRIDGELUX
Size : 34 MM
Cut Out : 28 MM
Height : 94 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B

B LB - WW 502

IP 20

Power Watt : 9W
Lamp : CREE & BRIDGELUX
Size : 34 MM
Cut Out : 28 MM
Height : 94 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B

B LB - SP 503

IP 20

Power Watt : 12W
Lamp : CREE & BRIDGELUX
Size : 82 MM
Cut Out : 75 MM
Height : 65 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B

B LB - SP 504

IP 20

Power Watt : 10W
Lamp : CREE & BRIDGELUX
Size : 53 MM
Cut Out : 53 MM
Height : 100 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B

B LB - SP 505

IP 20

Power Watt : 15W
Lamp : CREE & BRIDGELUX
Size : 103 MM
Cut Out : 98 MM
Height : 125 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK

PROFOND



LIGHTBOX



B LB - SP 506

IP 20

Power Watt : 9W
Lamp : CREE & BRIDGELUX
Size : 56 MM
Cut Out : 50 MM
Height : 100 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - TR 506

IP 20

Power Watt : 9W
Lamp : CREE & BRIDGELUX
Size : 53 MM
Cut Out : 53 MM
Height : 100MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - SP 507

IP 20

Power Watt : 12/15W
Lamp : CREE & BRIDGELUX
Size : 72 MM
Cut Out : 65 MM
Height : 110 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LB - TR 507

IP 20

Power Watt : 12/15W
Lamp : CREE & BRIDGELUX
Size : 68 MM
Cut Out : 68 MM
Height : 110 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK

GLEAM B LIGHTBOX



IP 20

B LB - SP 508

Power Watt	: 9W
Lamp	: CREE & BRIDGELUX
Size	: 60 MM
Cut Out	: 56 MM
Height	: 75 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



IP 20

B LB - TR 508

Power Watt	: 9W
Lamp	: CREE & BRIDGELUX
Size	: 28 MM
Cut Out	: 28 MM
Height	: 94 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



IP 20

B LB - SP 509

Power Watt	: 15W
Lamp	: CREE & BRIDGELUX
Size	: 78 MM
Cut Out	: 70 MM
Height	: 90 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



IP 20

B LB - TR 509

Power Watt	: 15W
Lamp	: CREE & BRIDGELUX
Size	: 70 MM
Cut Out	: 70 MM
Height	: 90 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



IP 20

B LB - SP 510

Power Watt	: 20W
Lamp	: CREE & BRIDGELUX
Size	: 84 MM
Cut Out	: 78 MM
Height	: 105 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



IP 20

B LB - TR 510

Power Watt	: 20W
Lamp	: CREE & BRIDGELUX
Size	: 80 MM
Cut Out	: 80 MM
Height	: 105 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

GLEAM B LIGHTBOX



B LB - TR 511

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 63 MM
Cut Out	: 45 MM
Height	: 100 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - TR 512

IP 20

Power Watt	: 12/18W
Lamp	: CREE & BRIDGELUX
Size	: 90 MM
Cut Out	: 90 MM
Height	: 80 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - TR 513

IP 20

Power Watt	: 9W
Lamp	: CREE & BRIDGELUX
Size	: 30 MM
Cut Out	: 50 MM
Height	: 85 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - TR 514

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 55 MM
Cut Out	: 50 MM
Height	: 105 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SWW 515

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 65 MM
Cut Out	: 58 MM
Height	: 70 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SWW 516

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 72 MM
Cut Out	: 62 MM
Height	: 65 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

TRENDY B LIGHTBOX



B

B LB - MINI 3

IP 20

Power Watt : 10W
 Lamp : CREE & BRIDGELUX
 Size : 78*28 MM
 Cut Out : 72*22 MM
 Height : 38 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B

B LB - MINI 6

IP 20

Power Watt : 15W
 Lamp : CREE & BRIDGELUX
 Size : 128*28 MM
 Cut Out : 122*22 MM
 Height : 38 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B

B LB - SP 1001

IP 20

Power Watt : 10W
 Lamp : CREE & BRIDGELUX
 Size : 42 MM
 Cut Out : 38 MM
 Height : 91 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B

B LB - SP 1002

IP 20

Power Watt : 10W
 Lamp : CREE & BRIDGELUX
 Size : 42 MM
 Cut Out : 38 MM
 Height : 91 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B

B LB - SP 1003

IP 20

Power Watt : 10W
 Lamp : CREE & BRIDGELUX
 Size : 42 MM
 Cut Out : 38 MM
 Height : 91 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B

B LB - TR 1004

IP 20

Power Watt : 5/10W
 Lamp : CREE & BRIDGELUX
 Size : 300*60 MM
 Cut Out : 300*60 MM
 Height : 14 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK

TRENDY B LIGHTBOX



B LB - SP 1005

IP 20

Power Watt : 15W
 Lamp : CREE & BRIDGELUX
 Size : 57.5 MM
 Cut Out : 54 MM
 Height : 79 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SP 1006

IP 20

Power Watt : 15W
 Lamp : CREE & BRIDGELUX
 Size : 57.5 MM
 Cut Out : 54 MM
 Height : 79 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - TR 1007

IP 20

Power Watt : 5/15W
 Lamp : CREE & BRIDGELUX
 Size : 360*72 MM
 Cut Out : 360*72 MM
 Height : 14 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK

LUSTRE B LIGHTBOX



B LZB - WW 517

IP 20

Power Watt : 8W
Lamp : CREE & BRIDGELUX
Size : 118*50 MM
Cut Out : 108*40 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LZB - WW 518

IP 20

Power Watt : 18W
Lamp : CREE & BRIDGELUX
Size : 225*50 MM
Cut Out : 215*40 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LZB-6

IP 20

Power Watt : 6W
Lamp : CREE & BRIDGELUX
Size : 45*95 MM
Cut Out : 35*85 MM
Height : 42 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LZB-12

IP 20

Power Watt : 12W
Lamp : CREE & BRIDGELUX
Size : 45*174 MM
Cut Out : 35*165 MM
Height : 42 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LZB-24

IP 20

Power Watt : 24W
Lamp : CREE & BRIDGELUX
Size : 45*335 MM
Cut Out : 35*320 MM
Height : 42 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK



B LZB - WW 519

IP 20

Power Watt : 12W
Lamp : CREE & BRIDGELUX
Size : 108*70 MM
Cut Out : 98*62 MM
Height : 97 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle : 24° / 38° / 60°
Material : ALUMINIUM
Body Color : WHITE & BLACK

LUSTRE

B

LIGHTBOX



B

B LZB - WW 520

IP 20

Power Watt	: 20W
Lamp	: CREE & BRIDGELUX
Size	: 190*70 MM
Cut Out	: 182*40 MM
Height	: 97MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

B

LIGHTBOX

FLYTTA

B

LIGHTBOX



B LB - DL 601

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 118 MM
Cut Out	: 113 MM
Height	: 50 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - DL 602

IP 20

Power Watt	: 18W
Lamp	: CREE & BRIDGELUX
Size	: 155 MM
Cut Out	: 145 MM
Height	: 55 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - DL 603

IP 20

Power Watt	: 24W
Lamp	: CREE & BRIDGELUX
Size	: 175 MM
Cut Out	: 165 MM
Height	: 55 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - DL 604

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 110*110 MM
Cut Out	: 100*100 MM
Height	: 50 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - DL 605

IP 20

Power Watt	: 18W
Lamp	: CREE & BRIDGELUX
Size	: 145*145 MM
Cut Out	: 135*135 MM
Height	: 55 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - DL 606

IP 20

Power Watt	: 24W
Lamp	: CREE & BRIDGELUX
Size	: 170*170 MM
Cut Out	: 160*160 MM
Height	: 55 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

FLYTTA B LIGHTBOX



B LB - DL 607

IP 20

Power Watt	: 8W
Lamp	: CREE & BRIDGELUX
Size	: 80 MM
Cut Out	: 70 MM
Height	: 45 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - DL 608

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 90 MM
Cut Out	: 80 MM
Height	: 52 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - DL 609

IP 20

Power Watt	: 18W
Lamp	: CREE & BRIDGELUX
Size	: 100 MM
Cut Out	: 95 MM
Height	: 53 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

YTA B LIGHTBOX



B LB - SF 701

IP 20

Power Watt : 8W
 Lamp : CREE & BRIDGELUX
 Size : 63MM
 Height : 90MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SF 702

IP 20

Power Watt : 20W
 Lamp : CREE & BRIDGELUX
 Size : 70MM
 Height : 105MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SF 703

IP 20

Power Watt : 30W
 Lamp : CREE & BRIDGELUX
 Size : 70MM
 Height : 200MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SF 705

IP 20

Power Watt : 12/15W
 Lamp : CREE & BRIDGELUX
 Size : 85MM
 Height : 105MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - SF 706

IP 20

Power Watt : 20/24W
 Lamp : CREE & BRIDGELUX
 Size : 95MM
 Height : 120MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK

POTEZ

B

LIGHTBOX



B LB - SP 707

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 78 MM
Cut Out	: 70 MM
Height	: 45 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SF 708

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 85 MM
Height	: 90 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SF 710

IP 20

Power Watt	: 10W
Lamp	: CREE & BRIDGELUX
Size	: 60 MM
Height	: 60 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SF 711

IP 20

Power Watt	: 15W
Lamp	: CREE & BRIDGELUX
Size	: 75 MM
Height	: 70 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SF 712

IP 20

Power Watt	: 10W
Lamp	: CREE & BRIDGELUX
Size	: 75 MM
Height	: 70 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SF 713

IP 20

Power Watt	: 18W
Lamp	: CREE & BRIDGELUX
Size	: 95 MM
Height	: 85 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

POTEZ

B

LIGHTBOX



B LB - SF 714

IP 20

Power Watt	: 6W
Lamp	: CREE & BRIDGELUX
Size	: 50 MM
Height	: 60 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SF 715

IP 20

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 75 MM
Height	: 70 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SF 716

IP 20

Power Watt	: 18W
Lamp	: CREE & BRIDGELUX
Size	: 95 MM
Height	: 75 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

VAPOR B LIGHTBOX



B LB - SPF 801

IP 65

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 80 MM
Cut Out	: 60 MM
Height	: 90 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SPF 802

IP 65

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 86 MM
Cut Out	: 70 MM
Height	: 95 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SPF 803

IP 65

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 92 MM
Cut Out	: 80 MM
Height	: 78 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SPF 804

IP 65

Power Watt	: 25W
Lamp	: CREE & BRIDGELUX
Size	: 123 MM
Cut Out	: 110 MM
Height	: 92.5 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK



B LB - SPF 805

IP 65

Power Watt	: 12W
Lamp	: CREE & BRIDGELUX
Size	: 84 MM
Cut Out	: 75 MM
Height	: 65 MM
Color Temp	: 2700K / 3000K / 4000K / 5000K / 6000K
Beam Angle	: 24° / 38° / 60°
Material	: ALUMINIUM
Body Color	: WHITE & BLACK

SMART B LIGHTBOX



B LB - T2 BK

IP 20

Size : 2000*26*8 MM
Material : ALUMINIUM
Body Color : BLACK



B LB - T2 TR

IP 20


Power : 10W
Size : 45*100 MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Body Color : BLACK



B LB - T2 LB

IP 20

Power : 12W
Size : 246*26*27.5* MM
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
Body Color : BLACK



B LB - T2 I

IP 20

Type : Straight Jointer
Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K




B LB - T2 PS

IP 20

Type : Power Connector
Power Watt : 150W
Size : 210*26*46 MM
Body Color : BLACK

SMART B LIGHTBOX



B LB - T1 2M BK

IP 20

Power : 2005*40*69.5 MM [LBH]
 Size : 2005*40*69.5 MM [LBH]
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Body Color : BLACK



B LB - T1 END

IP 20

Type : End Cap
 Body Color : BLACK



B LB - T1 LN

IP 20

Power : 12W
 Size : 304*21.5*48 MM [LBH]
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Body Color : BLACK



B LB - T1 LB

IP 20

Power : 6W
 Size : 220*21.5*48 MM [LBH]
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Body Color : BLACK



B LB - T1 LB

IP 20

Power : 12W
 Size : 110*21.5*48 MM [LBH]
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Body Color : BLACK



B LB - T1 DL

IP 20

Power : 12W
 Size : 220*21.5*48 MM [LBH]
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Body Color : BLACK



B LB - T1 TR

IP 20

Power Watt : 10W
 Size : 54*85*156 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Body Color : BLACK



B LB - T1 I

IP 20

Type : Straight Jointer
 Body : BLACK

SMART B LIGHTBOX



B 2.4G WIFI 12V / 24V
VOLTAGE STRIP
LIGHT CONTROLLER DIMMABLE IP 20



B 2.4G WIFI 12V /
24V LOW
VOLTAGE CCT CHANGING + DIMMABLE STRIP IP 20



B 2.4G WIFI 12V / 24V
LOW VOLTAGE RGB
CHANGING + DIMMABLE STRIP IP 20



B CCT SMART REMOTE IP 20



B CCT SMART TOUCH PAD IP 20



B SMART GETWAY IP 20

SMART

B

LIGHTBOX



B LB - T1 LC

IP 20

Type : Corner Power Cord
Body : BLACK



B LB - T1 PC

IP 20

Type : Power Cord
Body : BLACK



B LB - T1 L

IP 20

Type : Corner Joint
Body : BLACK

TRAC B LIGHTBOX



B LB - TR 1104

IP 20

Power Watt : 8W
 Lamp : CREE & BRIDGELUX
 Size : 45 MM
 Height : 115 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - TR 1105

IP 20

Power Watt : 12W
 Lamp : CREE & BRIDGELUX
 Size : 45 MM
 Height : 170 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - TR 1106

IP 20

Power Watt : 30W
 Lamp : CREE & BRIDGELUX
 Size : 85 MM
 Height : 180 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - TR 1115

IP 20

Power Watt : 20W
 Lamp : CREE & BRIDGELUX
 Size : 75 MM
 Height : 100 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - TR 1116

IP 20

Power Watt : 30W
 Lamp : CREE & BRIDGELUX
 Size : 85 MM
 Height : 110 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK

TRAC B LIGHTBOX



B LB - TR 1107

IP 20

Power Watt : 20W
 Lamp : CREE & BRIDGELUX
 Size :
 Height :
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - TR 1108

IP 20

Power Watt : 30W
 Lamp : CREE & BRIDGELUX
 Size :
 Height :
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - TR 1109

IP 20

Power Watt : 12W
 Lamp : CREE & BRIDGELUX
 Size : 45*95 MM
 Height : 150 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - TR 1110

IP 20

Power Watt : 20W
 Lamp : CREE & BRIDGELUX
 Size : 85*80 MM
 Height : 130 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK



B LB - TR 1111

IP 20

Power Watt : 30W
 Lamp : CREE & BRIDGELUX
 Size : 85*95 MM
 Height : 130 MM
 Color Temp : 2700K / 3000K / 4000K / 5000K / 6000K
 Beam Angle : 24° / 38° / 60°
 Material : ALUMINIUM
 Body Color : WHITE & BLACK

TRAC B LIGHTBOX



B 3 TR

IP 20

Size : 1000*2000 MM
Material : ALUMINIUM
Body Color : WHITE & BLACK



B 3TR 1 JOINTER

IP 20

Body Color : WHITE & BLACK



B 3TR L

IP 20

Body Color : WHITE & BLACK



B 3TR T/1Mtr

IP 20

Body Color : WHITE & BLACK



B 3TR X

IP 20

Body Color : WHITE & BLACK



B 3 WIRE EDP

IP 20

Body Color : WHITE & BLACK

TRAC B LIGHTBOX



B 4 TR/1Mtr

IP 20

Size : 1000/2000 MM
Material : ALUMINIUM
Body Color : WHITE & BLACK



B 4 TR JOINTER

IP 20

Body Color : WHITE & BLACK



B 4 TR L

IP 20

Body Color : WHITE & BLACK



B 4 TR T/1Mtr

IP 20

Body Color : WHITE & BLACK



B 4 TR X

IP 20

Body Color : WHITE & BLACK



B 4 WIRE EDP


IP 20

Body Color : WHITE & BLACK

FLEXI PRO

B

LIGHTBOX




B

B FLEXI PRO

IP 20

Power Watt : 24V 12/16W
 Size : 6*12MM
 Color Temp : 3000K / 4000K / 6000K




B

B FLEXI PRO

IP 20

Power Watt : 24V 12/18W
 Size : 12*12MM
 Color Temp : 3000K / 4000K / 6000K




B

B FLEXI PRO

IP 20

Power Watt : 24V 12/18W
 Size : 6*16MM
 Color Temp : 3000K / 4000K / 6000K/RGB




B

B FLEXI PRO

IP 20

Power Watt : 24V 18W
 Size : 20*14MM
 Color Temp : 3000K / 4000K / 6000K




B

B FLEXI PRO

IP 20

Power Watt : 24V 18W
 Size : 30*20MM
 Color Temp : 3000K / 4000K / 6000K/RGB



B

B FLEXI PRO

IP 20

Power Watt : 24V 18W
 Size : 50*25MM
 Color Temp : 3000K / 4000K / 6000K/RGB

FLEXI LED STRIP

B

LIGHTBOX



B

B FLEXI LED STRIP IP 20

Power Watt : 6W
Type : 12/24V - 2835 - 60LED 8MM 2.5OZ
CCT : 27000K/3000K/4000K/5000K/6000K
CRI : 90
IP : 33/65



B

B FLEXI LED STRIP IP 20

Power Watt : 12W
Type : 12/24V - 2835 - 120LED 8MM 2.5OZ
CCT : 27000K/3000K/4000K/5000K/6000K
CRI : 90
IP : 33/65



B

B FLEXI LED STRIP IP 20

Power Watt : 12W
Type : 12/24V - 2835 - 120LED 5MM 2.5OZ
CCT : 27000K/3000K/4000K/5000K/6000K
CRI : 90
IP : 33/65



B

B FLEXI LED STRIP IP 20

Power Watt : 16W
Type : 12/24V - 2835 - 168LED 5MM 2.5OZ
CCT : 27000K/3000K/4000K/5000K/6000K
CRI : 90
IP : 33/65



B

B FLEXI LED STRIP IP 20

Power Watt : 18W
Type : 12/24V - 2835 - 180LED 10MM 3OZ
CCT : 27000K/3000K/4000K/5000K/6000K
CRI : 90
IP : 33/65



B

B FLEXI LED STRIP IP 20

Power Watt : 24W
Type : 12/24V - 2835 - 240LED 10MM 3OZ
CCT : 27000K/3000K/4000K/5000K/6000K
CRI : 90
IP : 33/65

FLEXI LED STRIP

B

LIGHTBOX



B FLEXI LED STRIP IP 20

Power Watt : 14.4W
Type : 12/24V - 5050 - 60LED 10MM PCB 3OZ
CCT : RGBWH/RGBWM
CRI : 80
IP : 33/65



B FLEXI LED STRIP IP 20

Power Watt : 18W
Type : 12/24V - 2835 - 196LED 10MM 3OZ
CCT : 27000K To 57000K
CRI : 90
IP : 33/65



B FLEXI LED STRIP IP 20

Power Watt : 14.4W
Type : 12/24V - 5050 - 60LED 10MM 3OZ
CCT : RGB
CRI : 80
IP : 33/65



B FLEXI LED STRIP IP 20

Power Watt : 15W
Type : 24V 320 LED 10MM 3OZ
CCT : 3000K
CRI : 90
IP : 33/65

SMPS



LIGHTBOX



SMPS

IP 20

Power Watt : 12V - 60W,100W,150W,200W,300W



SMPS

IP 20

Power Watt : 24V - 60W,100W,150W,200W,300W



SMPS

IP 20

Power Watt : 12V - 60W,100W,150W,200W phasecut /0-10v dimmable



SMPS

IP 20

Power Watt : 24V - 60W,100W,150W,200W phasecut / 0-10v dimmable



SMPS

IP 20

Power Watt : 12V - 100W,200W Dali Dimmable DT6



SMPS

IP 20

Power Watt : 24V - 100W,200W Dali Dimmable DT6 & Dt8


LINEAR PRO

B


LIGHTBOX




B LINEAR PRO IP 20
Size : 17*8MM SF
Length : 2000MM




B LINEAR PRO IP 20
Size : 17*8MM RECESS
Length : 2000MM



B LINEAR PRO IP 20
Size : 17*15MM SF
Length : 2000MM




B LINEAR PRO IP 20
Size : 17*15MM RECESS
Length : 2000MM




B LINEAR PRO IP 20
Size : 25MM SF
Length : 2000MM



B LINEAR PRO IP 20
Size : 25MM RECESS
Length : 2000MM



B LINEAR PRO IP 20
Size : 0709 SF
Length : 2000MM




B LINEAR PRO IP 20
Size : 0709 RECESS
Length : 2000MM

LINEAR PRO


B

LIGHTBOX




B LINEAR PRO IP 20

Size : 1010 SF
Length : 2000MM




B LINEAR PRO IP 20

Size : 1010 RECESS
Length : 2000MM




B LINEAR PRO IP 20

Size : 8*8MM CORNER
Length : 3000MM




B LINEAR PRO IP 20

Size : 13*13MM CORNER
Length : 3000MM




B LINEAR PRO IP 20

Size : 16*16MM CORNER
Length : 2000/3000MM




B LINEAR PRO IP 20

Size : 35*35MM SURFACE
Length : 2400MM



B LINEAR PRO IP 20

Size : 35*45MM RECESS
Length : 2400MM



B LINEAR PRO IP 20

Size : 29*14MM WARDROBE
Length : 3000MM

LINEAR PRO




LIGHTBOX



B LINEAR PRO IP 20

Size : 30*10MM SURFACE
Length : 2400MM




B LINEAR PRO IP 20

Size : 30*10MM RECESS
Length : 2400MM




B LINEAR PRO IP 20

Size : 60MM CIRCULAR PROFILE
Length : 2400MM




B LINEAR PRO IP 20

Size : 9MM SHELF PROFILE
Length : 3000MM




B LINEAR PRO IP 20

Size : 9MM WARDROBE PROFILE
Length : 3000MM




B LINEAR PRO IP 20

Size : 10MM SHELF PROFILE
Length : 3000MM



B LINEAR PRO IP 20

Size : 17MM WARDROBE PROFILE
Length : 3000MM



B LINEAR PRO IP 20

Size : 23*9MM WARDROBE PROFILE
Length : 3000MM

LINEAR PRO

B


LIGHTBOX



B LINEAR PRO

IP 20

Size : 50*75MM SUSPENDED LINEAR
Length : 2400/3600MM



B LINEAR PRO

IP 20

Size : 35MM TRIMLESS PROFILE
Length : 3000MM



B LINEAR PRO

IP 20

Size : 17MM BENDABLE PROFILE
Length : 2000MM



Wall grazer

B LINEAR PRO

IP 20

Size : 25MM WALL GRAZER
Length : 2000MM

LIGHTBOX

B LIGHTBOX



[Website](#)



[Instagram](#)



[Address](#)

lightboxworld.in

8lightbox@gmail.com

[+91 99300 60857](tel:+919930060857)

[642/1-A Bldg, GalaAB81-84, Swidhinath Complex Dapode, Bhivandi, Thane - 421302.](#)